

附件八 急救箱、醫療箱及衛生防護箱裝置數量、器材及藥品

本附件依第九十八條及第二百三十九條之規定及參考 ICAO Annex 6, Part I, Attachment B 訂定。

1. 類型

- 1.1 應配備以下醫藥用品：在所有飛機上配備急救箱，在所有需要有客艙組員之飛機上配備衛生防護箱，載運 100 名以上乘客及航程長度超過 2 小時之飛機，配備 1 個醫療箱。
- 1.2 航空器使用人應考慮營運之特殊需求，依據風險評估決定是否配備自動外部去纖顫器（AED）。

2. 急救箱及衛生防護箱數量

2.1 急救箱

急救箱之數量應與載客量成正比：

乘客	急救箱
0-100	1
101-200	2
201-300	3
301-400	4
401-500	5
超過 500	6

2.2 衛生防護箱

至少須有一名客艙組員之航空器於營運時，應攜帶一個或二個衛生防護箱，遇有大眾健康風險增加之情況，例如爆發具有大流行可能性之嚴重傳染疾病期間，應提供更多個醫療箱。該醫療箱應可用來清理任何可能有傳染性質之體內物質，如血、尿、嘔吐物及排泄物，並對客艙組員在協助疑似患有傳染病之可能傳染病例時提供保護。

3. 位置

- 3.1 急救箱及衛生防護箱數量應儘可能均勻地配置在客艙中，使客艙組員易於取用。

3.2 若裝載衛生防護箱，則應將其存放在合適之安全地方。

4. 內裝物品

4.1 以下提供急救箱、衛生防護箱及醫療箱典型內裝物品之指南。

4.1.1 急救箱

內裝物品清單：

- a) Antiseptic swabs (10/pack)
- b) Bandage: adhesive strips
- c) Bandage: gauze 7.5 cm × 4.5 m
- d) Bandage: triangular; safety pins
- e) Dressing: burn 10 cm × 10 cm
- f) Dressing: compress, sterile 7.5 cm × 12 cm
- g) Dressing: gauze, sterile 10.4 cm × 10.4 cm
- h) Tape: adhesive 2.5 cm (roll)
- i) Steri-strips (or equivalent adhesive strip)
- j) Hand cleanser or cleansing towelettes
- k) Pad with shield, or tape, for eye
- l) Scissors: 10 cm–
- m) Tape: Adhesive, surgical 1.2 cm × 4.6 m
- n) Tweezers: splinter
- o) Disposable gloves (multiple pairs)
- p) Thermometers (non-mercury)
- q) Mouth-to-mouth resuscitation mask with one-way valve

- r) First-aid manual, current edition
- s) Incident record form

急救箱內建議可放入下列藥品

- a) Mild to moderate analgesic
- b) Antiemetic
- c) Nasal decongestant
- d) Antacid
- e) Antihistamine

4.1.2 衛生防護箱

- a) Dry powder that can convert small liquid spill into a sterile granulated gel
- b) Germicidal disinfectant for surface cleaning
- c) Skin wipes
- d) Face/eye mask (separate or combined)
- e) Gloves (disposable)
- f) Protective apron
- g) Large absorbent towel
- h) Pick-up scoop with scraper
- i) Bio-hazard disposal waste bag
- j) Instructions

4.1.3 醫療箱

裝備

- a) 內裝物品清單

- b) Stethoscope
- c) Sphygmomanometer (electronic preferred)
- d) Airways, oropharyngeal (three sizes)
- e) Syringes (appropriate range of sizes)
- f) Needles (appropriate range of sizes)
- g) Intravenous catheters (appropriate range of sizes)
- h) Antiseptic wipes
- i) Gloves (disposable)
- J) Needle disposal box
- k) Urinary catheter
- l) System for delivering intravenous fluids
- m) Venous tourniquet
- n) Sponge gauze
- o) Tape – adhesive
- p) Surgical mask
- q) Emergency tracheal catheter (or large gauge intravenous cannula)
- r) Umbilical cord clamp
- s) Thermometers (non-mercury)
- t) Basic life support cards
- u) Bag-valve mask
- v) Flashlight and batteries

藥品

- a) Epinephrine 1:1 000
- b) Antihistamine – injectable
- c) Dextrose 50% (or equivalent) – injectable: 50 ml
- d) Nitroglycerin tablets, or spray
- e) Major analgesic
- f) Sedative anticonvulsant – injectable
- g) Antiemetic – injectable
- h) Bronchial dilator – inhaler
- i) Atropine – injectable
- j) Adrenocortical steroid – injectable
- k) Diuretic – injectable
- l) Medication for postpartum bleeding
- M) Sodium chloride 0.9% (minimum 250 ml)
- n) Acetyl salicylic acid (aspirin) for oral use
- o) Oral beta blocker

如果配備有（帶 AED 或不帶 AED）之心臟監視器，上述清單可增加：

1 : 10000 腎上腺素（1 : 1000 腎上腺素之稀釋量）